

## **In the Claims**

### **Claims pending**

- At the time of the action: Claims 1-16 and 25-38.
- After this response: Claims 1-16, 25-33, and 36-37.

**Currently Amended claims:** Claims 1, 9, 25, and 32

**Currently Canceled claims:** Claims 34, 35, and 38

**New claims:** None.

1.     **(Currently Amended)** A method comprising:  
outputting an Electronic Programming Guide (EPG) for display by a client,  
wherein:

    EPG data originates from a server;

    the EPG includes a plurality of representations of a plurality of  
content for simultaneous display by the client;

    at least one said content is television programming for receipt by the  
client over an Internet;

    the client includes a plurality of applications;

    one or more said content is provided for output by a respective said  
application; and

    the EPG is configured to form one or more events in response to user  
interaction with one or more said representations, wherein the one or more  
events are based on information other than application identification  
information originating from the server; and

    executing a virtual tuner on the client to manage execution of each said  
plurality of applications to provide respective said content in response to the

events formed utilizing the EPG, said virtual tuner utilizing an application identification table that includes a listing of one or more applications to enable execution of each of said plurality of applications.

2.     **(Original)** The method as described in claim 1, wherein the virtual tuner is further executed to manage a lifecycle of each said application.

3.     **(Original)** The method as described in claim 1, wherein the virtual tuner manages the execution by:

    launching one or more said applications for outputting said content selected utilizing the EPG; and

    terminating the one or more said applications when the outputting is completed.

4.     **(Original)** The method as described in claim 1, wherein:

    the executing of the virtual tuner further comprises managing one or more windows; and

    at least one said window is utilized to display the respective said content.

5.     **(Original)** The method as described in claim 4, wherein the managing of the one or more windows includes displaying the at least one said window in a foreground of a display in response to one or more said events.

6.       **(Original)** The method as described in claim 1, wherein said content provided by a first said application is not compatible with a second said application.

7.       **(Original)** The method as described in claim 1, wherein the plurality of content includes remote content available over the Internet and local content available locally on the client.

8.       **(Original)** One or more computer readable-media comprising computer executable instructions that, when executed on a computer, direct the computer to perform the method of claim 1.

9.       **(Currently Amended)** In a virtual tuner executed on a client, a method comprising:

receiving a selection made from a plurality of content using an EPG that is output by the client, wherein:

the EPG includes a representation of each said content for simultaneous display by the client;

each said content is provided for output by a respective one or more of a plurality of applications; and

at least one said content is television programming;

choosing one or more of the plurality of applications that, when executed, provide the selected content, wherein the choosing is independent of any application identifying information originating from a computer distinct from the client; and

managing execution of the chosen one or more applications to output the selected content.

10. **(Original)** The method as described in claim 9, wherein the managing includes:

launching the chosen one or more applications for outputting the selected said content; and

terminating the chosen one or more applications when the outputting is completed or an event is received from the EPG.

11. **(Original)** The method as described in claim 9, wherein the managing is performed in response to one or more events received from the EPG.

12. **(Original)** The method as described in claim 9, wherein the managing includes managing a lifecycle of the chosen one or more applications.

13. **(Original)** The method as described in claim 9, wherein said content provided by a first said application is not compatible with a second said application.

14. **(Original)** The method as described in claim 9, wherein:

the managing includes managing one or more windows; and

at least one said window is utilized to display the selected content.

15. **(Original)** The method as described in claim 9, wherein the plurality of content includes remote content available over the Internet and local content available locally on the client.

16. **(Original)** One or more computer readable-media comprising computer executable instructions that, when executed on a computer, direct the computer to perform the method of claim 9.

17-24. **(Canceled)**

25. **(Currently Amended)** A client comprising:  
a processor;  
a network interface, communicatively coupled to the processor, configured to provide a network connection to a wide area network (WAN);  
a output interface, communicatively coupled to the processor, configured to provide an output for rendering by a display device; and  
memory configured to maintain:  
a plurality of applications that are executable on the processor to provide an output of content on the output interface, wherein at least one said content is television programming received at the network interface;  
an EPG engine that is executable on the processor to provide an EPG for output on the output interface, wherein the EPG includes simultaneously displays a plurality of representations of said content for selection; and

a virtual tuner that is executable on the processor to launch one or more of said plurality of applications in response to selection of said content using the EPG, independent of any application identifying information originating from a computer distinct from the client, said virtual tuner utilizing an application identification table that includes a listing of one or more applications to enable execution of each of said plurality of applications.

26. **(Original)** The client as described in claim 25, wherein the virtual tuner is further executable to terminate execution of the one or more said applications.

27. **(Original)** The client as described in claim 25, wherein the virtual tuner is further executable to:

manage one or more windows corresponding to the plurality of applications; and

at least one said window includes a display of the selected said content.

28. **(Original)** The client as described in claim 25, wherein:

the network interface is configured as a tuner for receiving one or more broadcasts of the television programming over the WAN; and

the WAN is configured as a broadcast network.

29. **(Original)** The client as described in claim 25, wherein the content provided by a first said application is not compatible with a second said application.

30.     **(Original)** The client as described in claim 25, wherein the WAN is the Internet.

31.     **(Original)** The client as described in claim 25, wherein the content includes remote content available over the WAN and local content available locally on the client.

32.     **(Currently Amended)** A system comprising:

    a network;

    an EPG provider communicatively coupled to the network and including remote EPG data that describes remote content that is available over the network, the remote content including television programming;

    a client communicatively coupled to the network and including;

        one or more processors and a plurality of applications that are executable thereon to provide at least one of local content and the remote content for rendering on a display device, wherein said content provided by a first said application is not compatible with a second said application, wherein the EPG includes a plurality of representations, and wherein at least one said representation represents the remote content and another said representation represents the local content; and

    local EPG data that describes the local content;

a guide application that is executable to generate an EPG from the remote and local EPG content that is configured to initiate one or more events, the remote and local EPG content simultaneously displayed by the EPG, and wherein the guide application is further executable to generate the local EPG data by examining the client; and

a virtual tuner that is executable to manage the plurality of applications in response to the one or more events, said virtual tuner utilizing an application identification table that includes a listing of one or more applications to enable execution of each of the plurality of applications independent of any application identifying information originating from a computer distinct from the client.

33. **(Original)** The system as described in claim 32, the virtual tuner manages the plurality of applications by:

launching one or more of the plurality of applications to process at least one of the local and remote content; and

terminating the one or more said applications when provision of the content is completed.

34. **(Canceled)**

35. **(Canceled)**

36. **(Original)** The system as described in claim 32, wherein the virtual tuner manages a lifecycle of each said application.

37. **(Original)** The system as described in claim 32, wherein the virtual tuner further manages one or more windows that include a display of at least one of the local and remote content.

38. **(Canceled)**

39. **(Canceled)**

40. **(Canceled)**